













	
5.28 m x 5.28 m	5.60 m + 23.80 m	2400 Kg.	360°	





	 PROGRAM: 1					
	5.60 m	9.24 m	12.88 m	16.52 m	20.16 m	23.80 m
	TELE %	TELE %	TELE %	TELE %	TELE %	TELE %
	0-0-0-0-0	1-0-0-0-0	1-1-0-0-0	1-1-1-0-0	1-1-1-0.5-0.5	1-1-1-1-1
2.00	14500	-	-	-	-	-
2.50	12000	20000	14500	11200	9500	-
3.00	10800	18500	14500	11200	9500	6500
3.50	-	16500	13600	11000	9000	6500
4.00	-	14000	12700	10300	8600	6500
4.50	-	12200	11600	9700	8200	6200
5.00	-	10600	10600	9100	7700	6000
6.00	-	8400	8300	8000	6900	5600
7.00	-	-	6800	7000	6200	5200
8.00	-	-	5600	5800	5600	4700
9.00	-	-	4400	4700	5000	4400
10.00	-	-	-	3800	4200	4000
11.00	-	-	-	3100	3500	3700
12.00	-	-	-	2600	2900	3200
13.00	-	-	-	2100	2500	2700
14.00	-	-	-	-	2100	2300
15.00	-	-	-	-	1800	2000
16.00	-	-	-	-	1500	1700
17.00	-	-	-	-	1300	1500
18.00	-	-	-	-	-	1300
19.00	-	-	-	-	-	1100
20.00	-	-	-	-	-	1000
21.00	-	-	-	-	-	800



				
5.28 m x 5.28 m	5.60 m + 20.16 m	2400 Kg.	360°	





	 PROGRAM: 2				
	5.60 m	9.24 m	12.88 m	16.52 m	20.16 m
	TELE %	TELE %	TELE %	TELE %	TELE %
	0-0-0-0-0	0-1-0-0-0	0-1-1-0-0	0-1-1-0.5-0.5	0-1-1-1-1
2.00	14500	-	-	-	-
2.50	12000	14500	11200	9500	6500
3.00	10800	14500	11200	9200	6500
3.50	-	14000	10600	8600	6500
4.00	-	12800	9700	8100	6300
4.50	-	12000	9100	7600	6000
5.00	-	10900	8500	7100	5700
6.00	-	8700	7500	6200	5200
7.00	-	-	6600	5500	4700
8.00	-	-	5900	4900	4300
9.00	-	-	5000	4400	3900
10.00	-	-	4100	4000	3600
11.00	-	-	-	3700	3300
12.00	-	-	-	3200	3100
13.00	-	-	-	2700	2900
14.00	-	-	-	2400	2600
15.00	-	-	-	-	2200
16.00	-	-	-	-	2000
17.00	-	-	-	-	1700



				
5.28 m x 3.70 m	5.60 m + 23.80 m	2400 Kg.	360°	

	 PROGRAM: 3					
	5.60 m	9.24 m	12.88 m	16.52 m	20.16 m	23.80 m
	TELE %	TELE %	TELE %	TELE %	TELE %	TELE %
	0-0-0-0-0	1-0-0-0-0	1-1-0-0-0	1-1-1-0-0	1-1-1-0.5-0.5	1-1-1-1-1
2.00	14500	-	-	-	-	-
2.50	12000	18300	14500	11200	9500	-
3.00	10800	16200	14500	11200	9500	6500
3.50	-	14400	13600	11000	9000	6500
4.00	-	12400	12200	10300	8600	6500
4.50	-	10100	10100	9700	8200	6200
5.00	-	8100	8200	8600	7700	6000
6.00	-	5600	5700	6100	6500	5600
7.00	-	-	4200	4500	4900	5200
8.00	-	-	3100	3400	3800	4100
9.00	-	-	2400	2700	3000	3300
10.00	-	-	-	2100	2500	2700
11.00	-	-	-	1700	2000	2200
12.00	-	-	-	1300	1600	1800
13.00	-	-	-	1000	1300	1500
14.00	-	-	-	-	1100	1300
15.00	-	-	-	-	800	1100
16.00	-	-	-	-	700	900
17.00	-	-	-	-	500	700
18.00	-	-	-	-	-	600
19.00	-	-	-	-	-	400
20.00	-	-	-	-	-	-
21.00	-	-	-	-	-	-

				
5.28 m x 3.70 m	5.60 m + 20.16 m	2400 Kg.	360°	





					
	PROGRAM: 4				
	5.60 m	9.24 m	12.88 m	16.52 m	20.16 m
TELE %	TELE %	TELE %	TELE %	TELE %	
0-0-0-0-0	0-1-0-0-0	0-1-1-0-0	0-1-1-0.5-0.5	0-1-1-1-1	
2.00	14500	-	-	-	
2.50	12000	14500	11200	9500	
3.00	10800	14500	11200	9200	
3.50	-	14000	10600	8600	
4.00	-	12600	9700	8100	
4.50	-	10500	9100	7600	
5.00	-	8500	8500	7100	
6.00	-	6000	6400	6200	
7.00	-	-	4800	5200	
8.00	-	-	3700	4100	
9.00	-	-	2900	3300	
10.00	-	-	2300	2700	
11.00	-	-	-	2200	
12.00	-	-	-	1900	
13.00	-	-	-	1600	
14.00	-	-	-	1300	
15.00	-	-	-	-	
16.00	-	-	-	-	
17.00	-	-	-	-	



				
5.28 m x 2.14 m	5.60 m + 23.80 m	2400 Kg.	360°	





	 PROGRAM: 5					
	5.60 m	9.24 m	12.88 m	16.52 m	20.16 m	23.80 m
	TELE %	TELE %	TELE %	TELE %	TELE %	TELE %
	0-0-0-0-0	1-0-0-0-0	1-1-0-0-0	1-1-1-0-0	1-1-1-0.5-0.5	1-1-1-1-1
2.00	14500	-	-	-	-	-
2.50	12000	14000	13700	11200	9500	-
3.00	10400	9900	10000	10300	9500	6500
3.50	-	7400	7500	7800	8300	6500
4.00	-	5800	5800	6200	6600	6500
4.50	-	4600	4700	5000	5400	5700
5.00	-	3800	3800	4100	4500	4800
6.00	-	2600	2600	2900	3200	3500
7.00	-	-	1800	2100	2400	2600
8.00	-	-	1200	1500	1800	2000
9.00	-	-	800	1000	1400	1600
10.00	-	-	-	700	1000	1200
11.00	-	-	-	400	700	900
12.00	-	-	-	-	500	700
13.00	-	-	-	-	-	500
14.00	-	-	-	-	-	400
15.00	-	-	-	-	-	-
16.00	-	-	-	-	-	-
17.00	-	-	-	-	-	-
18.00	-	-	-	-	-	-
19.00	-	-	-	-	-	-
20.00	-	-	-	-	-	-
21.00	-	-	-	-	-	-


5.28 m x 2.14 m	5.60 m + 20.16 m	2400 Kg.	360°	






	PROGRAM: 6				
	5.60 m	9.24 m	12.88 m	16.52 m	20.16 m
TELE %	TELE %	TELE %	TELE %	TELE %	
0-0-0-0-0	0-1-0-0-0	0-1-1-0-0	0-1-1-0.5-0.5	0-1-1-1-1	
2.00	14500	-	-	-	
2.50	12000	14300	11200	9500	
3.00	10400	10300	10700	9200	
3.50	-	7800	8200	8600	
4.00	-	6100	6500	6900	
4.50	-	4900	5300	5700	
5.00	-	4000	4400	4800	
6.00	-	2800	3100	3500	
7.00	-	-	2300	2700	
8.00	-	-	1700	2100	
9.00	-	-	1300	1600	
10.00	-	-	900	1300	
11.00	-	-	-	1000	
12.00	-	-	-	700	
13.00	-	-	-	500	
14.00	-	-	-	400	
15.00	-	-	-	-	
16.00	-	-	-	-	
17.00	-	-	-	-	



 10 bar				
365/85 R20 XZL	5.60 m + 16.52 m	2400 Kg.	3 Km/h	






					PROGRAM: 7			
	5.60 m	9.24 m	12.88 m	16.52 m				
	TELE %	TELE %	TELE %	TELE %				
	0-0-0-0-0	0-1-0-0-0	0-1-1-0-0	0-1-1-0.5-0.5				
2.00	9100	-	-	-				
2.50	7700	7200	7000	7000				
3.00	6700	6200	6100	6100				
3.50	-	5400	5400	5400				
4.00	-	4700	4700	4900				
4.50	-	4100	4200	4300				
5.00	-	3700	3700	3900				
6.00	-	3000	3000	3200				
7.00	-	-	2500	2700				
8.00	-	-	1900	2100				
9.00	-	-	1500	1700				
10.00	-	-	1200	1400				
11.00	-	-	-	1200				
12.00	-	-	-	1000				
13.00	-	-	-	800				
14.00	-	-	-	600				
15.00	-	-	-	-				
16.00	-	-	-	-				
17.00	-	-	-	-				



 10 bar				
365/85 R20 XZL	5.60 m + 16.52 m	2400 Kg.	360°	

					PROGRAM: 8			
	5.60 m	9.24 m	12.88 m	16.52 m				
	TELE %	TELE %	TELE %	TELE %				
	0-0-0-0-0	0-1-0-0-0	0-1-1-0-0	0-1-1-0.5-0.5				
2.00	-	-	-	-				
2.50	-	-	-	-				
3.00	4500	4300	-	-				
3.50	-	3600	3700	-				
4.00	-	3000	3200	-				
4.50	-	2600	2700	3000				
5.00	-	2200	2400	2600				
6.00	-	1500	1800	2000				
7.00	-	-	1300	1500				
8.00	-	-	900	1100				
9.00	-	-	600	900				
10.00	-	-	500	600				
11.00	-	-	-	500				
12.00	-	-	-	-				
13.00	-	-	-	-				
14.00	-	-	-	-				
15.00	-	-	-	-				
16.00	-	-	-	-				
17.00	-	-	-	-				

				
5.28 m x 5.28 m	5.60 m + 23.80 m	2400 Kg.	360°	8.00 m - 0°

						
	PROGRAM: 10					
	5.60 m+ 8.0 m	9.24 m+8.0 m	12.88 m+8.0 m	16.52 m+8.0 m	20.16 m+8.0 m	23.80 m+8.0 m
TELE %	TELE %	TELE %	TELE %	TELE %	TELE %	
0-0-0-0-0	1-0-0-0-0	1-1-0-0-0	1-1-1-0-0	1-1-1-0.5-0.5	1-1-1-1-1	
0°	0°	0°	0°	0°	0°	
2.00	2800	3000	-	-	-	
2.50	2500	3000	3000	-	-	
3.00	2400	2800	3000	-	-	
3.50	2200	2600	3000	3000	-	
4.00	2100	2500	2800	3000	3000	
4.50	1900	2400	2600	2800	2300	
5.00	1800	2200	2400	2600	2200	
6.00	1500	2000	2300	2400	2100	
7.00	1300	1800	2100	2300	2000	
8.00	1200	1600	1900	2100	1900	
9.00	1000	1400	1600	1900	1800	
10.00	900	1300	1500	1700	1700	
11.00	-	1100	1400	1600	1600	
12.00	-	1000	1300	1500	1500	
13.00	-	900	1200	1400	1400	
14.00	-	-	1100	1300	1300	
15.00	-	-	1000	1200	1200	
16.00	-	-	1000	1100	1100	
17.00	-	-	900	1000	1000	
18.00	-	-	-	1000	900	
19.00	-	-	-	1000	800	
20.00	-	-	-	900	700	
21.00	-	-	-	-	600	
22.00	-	-	-	-	600	
23.00	-	-	-	-	600	
24.00	-	-	-	-	500	
25.00	-	-	-	-	500	
26.00	-	-	-	-	400	
27.00	-	-	-	-	400	

				
5.28 m x 5.28 m	5.60 m + 23.80 m	2400 Kg.	360°	8.00 m - 40°

						
	PROGRAM: 11					
	5.60 m+ 8.0 m	9.24 m+8.0 m	12.88 m+8.0 m	16.52 m+8.0 m	20.16 m+8.0 m	23.80 m+8.0 m
TELE %	TELE %	TELE %	TELE %	TELE %	TELE %	
0-0-0-0-0	1-0-0-0-0	1-1-0-0-0	1-1-1-0-0	1-1-1-0.5-0.5	1-1-1-1-1	
40°	40°	40°	40°	40°	40°	
2.00	-	-	-	-	-	
2.50	-	-	-	-	-	
3.00	-	-	-	-	-	
3.50	-	-	-	-	-	
4.00	-	-	-	-	-	
4.50	-	-	-	-	-	
5.00	-	-	-	-	-	
6.00	1000	1100	-	-	-	
7.00	1000	1000	1100	-	-	
8.00	900	1000	1000	1000	-	
9.00	800	900	1000	1000	1000	
10.00	800	900	900	1000	1000	
11.00	-	800	900	900	1000	
12.00	-	800	800	900	900	
13.00	-	800	800	900	900	
14.00	-	-	800	800	900	
15.00	-	-	800	800	900	
16.00	-	-	800	800	800	
17.00	-	-	800	800	800	
18.00	-	-	-	800	800	
19.00	-	-	-	800	800	
20.00	-	-	-	800	800	
21.00	-	-	-	-	800	
22.00	-	-	-	-	800	
23.00	-	-	-	-	700	
24.00	-	-	-	-	600	
25.00	-	-	-	-	-	
26.00	-	-	-	-	500	
27.00	-	-	-	-	400	